

รายการก่อสร้างต่าง ๆ ในงานก่อสร้างทาง

ITEM	DESCRIPTION	UNIT	REMARK
1	REMOVAL OF EXISTING STRUCTURES		
	1.1 REMOVAL OF EXISTING ASPHALT CONCRETE SURFACE	SQ.M.	
	1.2 REMOVAL OF EXISTING CONCRETE PAVEMENT	SQ.M.	
	1.3 REMOVAL OF EXISTING CONCRETE BRIDGE AT STA.....	L.S.	ระบุ กม. แต่ละแห่งด้วย
	1.4 REMOVAL OF EXISTING BOX CULVERTS AT STA.....	L.S.	ระบุ กม. แต่ละแห่งด้วย
	1.5 REMOVAL OF EXISTING PIPE CULVERTS	L.S.	
	1.6 REMOVAL OF EXISTING TIMBER BRIDGES AT STA.....	L.S.	ระบุ กม. แต่ละแห่งด้วย
2	EARTHWORK		
	2.1 CLEARING AND GRUBBING	SQ.M.	
	2.2 ROADWAY EXCAVATION		
	2.2(1) EARTH EXCAVATION	CU.M.	
	2.2(2) SOFT ROCK EXCAVATION	CU.M.	
	2.2(3) HARD ROCK EXCAVATION	CU.M.	
	2.2(4) UNSUITABLE MATERIAL EXCAVATION	CU.M.	
	2.2(5) SOFT MATERIAL EXCAVATION (EXCAVATION ONLY)	CU.M.	
	2.3 EMBANKMENT		
	2.3(1) EARTH EMBANKMENT	CU.M.	
	2.3(2) SAND EMBANKMENT	CU.M.	
	2.3(3) ROCK EMBANKMENT	CU.M.	

ITEM	DESCRIPTION	UNIT	REMARK
	2.3(4) EARTH FILL IN MEDIAN & ISLAND	CU.M.	
	2.3(5) EARTH FILL UNDER SIDEWALK	CU.M.	
	2.3(6) POROUS BACKFILL	CU.M.	
	2.3(7) BERM	CU.M.	
	2.3(8) EARTH DIKE	CU.M.	
	2.3(9) SOIL STABILIZED EMBANKMENT	CU.M.	
	2.3(10) FOUNDATION IMPROVEMENT		
	2.3(10.1) PREFABRICATED VERTICAL DRAIN	M.	
	2.3(10.2) LIME/CEMENT COLUMN DIA.....M.	M.	ระบุขนาดเส้นผ่านศูนย์กลางด้วย
	2.4 SELECTED MATERIALS		
	2.4(1) SELECTED MATERIAL B	CU.M.	
	2.4(2) SELECTED MATERIAL A	CU.M.	
3	SUBBASE AND BASE COURSES		
	3.1 SUBBASES		
	3.1(1) SOIL AGGREGATE SUBBASE	CU.M.	
	3.1(2) SOIL CEMENT SUBBASE	CU.M.	
	3.2 BASE COURSES		
	3.2(1) CRUSHED ROCK SOIL AGGREGATE TYPE BASE	CU.M.	
	3.2(2) CRUSHED GRAVEL SOIL AGGREGATE TYPE BASE	CU.M.	
	3.2(3) CEMENT MODIFIED CRUSHED ROCK BASE	CU.M.	
	3.2(4) SOIL CEMENT BASE	CU.M.	
	3.3 SHOULDER		
	3.3(1) SOIL AGGREGATE SHOULDER	CU.M.	

ITEM	DESCRIPTION	UNIT	REMARK
	3.4 MATERIALS TO CONTROL PUMPING UNDER CONCRETE PAVEMENT		
	3.4(1) SAND CUSHION UNDER CONCRETE PAVEMENT	CU.M.	
	3.4(2) CRUSHED ROCK SOIL AGGREGATE UNDER CONCRETE PAVEMENT	CU.M.	
	3.5 SCARIFICATION & RECONSTRUCTION OF EXISTING BASE.....CM. THICK	SQ.M.	ระบุความหนาด้วย
	3.6 SOIL AGGREGATE TEMPORARY SURFACE (CONNECTION ROAD ONLY)	CU.M.	รายการนี้ควรมีเฉพาะกรณี ที่จำเป็น โดยระบุสถานที่ และกำหนดรายละเอียด อย่างชัดเจนไว้ในแบบด้วย
4	SURFACE COURSES		
	4.1 PRIME COAT & TACK COAT		
	4.1(1) PRIME COAT	SQ.M.	
	4.1(2) TACK COAT	SQ.M.	
	4.2 SURFACE TREATMENTS		
	4.2(1) SINGLE SURFACE TREATMENT	SQ.M.	
	4.2(2) DOUBLE SURFACE TREATMENT	SQ.M.	
	4.3 PENETRATION MACADAM	SQ.M.	

ITEM	DESCRIPTION	UNIT	REMARK
	4.4 ASPHALT CONCRETE		
	4.4(1) ASPHALT CONCRETE LEVELING COURSE	TON	
	4.4(2) ASPHALT BOUND BASE	CU.M.	
	4.4(3) ASPHALT CONCRETE BINDER COURSECM. THICK	SQ.M.	ระบุความหนาและหน่วยวัด ปริมาณงานเป็นตารางเมตร
	4.4(4) ASPHALT CONCRETE WEARING COURSECM. THICK	SQ.M.	ระบุความหนาและหน่วยวัด ปริมาณงานเป็นตารางเมตร
	4.4(5) ASPHALT CONCRETE SHOULDER	SQ.M.	หน่วยวัดปริมาณงาน เป็นตารางเมตร
	4.4(6) MODIFIED ASPHALT CONCRETE [*]CM. THICK	SQ.M.	ระบุความหนาและหน่วยวัด ปริมาณงานเป็นตารางเมตร
	4.4(7) POROUS ASPHALT CONCRETECM. THICK	SQ.M.	ระบุความหนาและหน่วยวัด ปริมาณงานเป็นตารางเมตร
	4.5 ASPHALT CONCRETE SURFACE EDGEM. WIDTH	M.	ระบุความกว้างด้วย
	4.6 COLD MIXED ASPHALT	CU.M.	
	4.7 SLURRY SEAL		
	4.7(1) SLURRY SEAL TYPE I	SQ.M.	
	4.7(2) SLURRY SEAL TYPE II	SQ.M.	
	4.7(3) SLURRY SEAL TYPE III	SQ.M.	
	4.7(4) SLURRY SEAL TYPE IV	SQ.M.	
	4.8 CAPE SEAL		
	4.8(1) CAPE SEAL TYPE I (SLURRY SEAL TYPE II)	SQ.M.	
	4.8(2) CAPE SEAL TYPE II (SLURRY SEAL TYPE III)	SQ.M.	

ITEM	DESCRIPTION	UNIT	REMARK
	4.9 PORTLAND CEMENT CONCRETE PAVEMENT		
	4.9(1) PORTLAND CEMENT CONCRETE PAVEMENT.....CM. THICK	SQ.M.	ระบุความหนาด้วย
	4.9(2) EXPANSION JOINT	M.	
	4.9(3) CONTRACTION JOINT	M.	
	4.9(4) LONGITUDINAL JOINT	M.	
	4.9(5) DUMMY JOINT	M.	
	4.9(6) EDGE JOINT	M.	
5	STRUCTURES		
	5.1 CONCRETE BRIDGES		
	5.1(1) NEW CONCRETE BRIDGE		
	5.1(1.1) AT STA.....	M.	
	5.1(1.2) AT STA.....	M.	
	5.1(2) WIDENING OF EXISTING BRIDGE ROADWAY FROM.....M. TO.....M.		กรณีต่อความยาวใช้ EXTENSION
	5.1(2.1) AT STA.....	M.	
	5.1(2.2) AT STA.....	M.	
	5.1(3) BRIDGE APPROACH STRUCTURES		
	5.1(3.1) AT STA.....	M.	
	5.1(3.2) AT STA.....	M.	
	5.1(4) BRIDGE APPROACH SLAB	SQ.M.	
	5.1(5) BEARING UNIT	SQ.M.	
	5.1(6) ABUTMENT PROTECTOR	SQ.M.	
	5.1(7) PEDESTRIAN BRIDGES		
	5.1(7.1) AT STA..... (APPROX.)	EACH	DWG.NO.....
	5.1(7.2) AT STA..... (APPROX.)	EACH	DWG.NO.....

ITEM	DESCRIPTION	UNIT	REMARK
	5.2 R.C.BOX CULVERTS		
	5.2(1) NEW R.C.BOX CULVERTS		
	5.2(1.1) AT STA.....SIZE.....	M.	ระบุขนาดท่อด้วย
	5.2(1.2) AT STA.....SIZE.....	M.	ระบุขนาดท่อด้วย
	5.2(2) EXTENSION OF EXISTING R.C.BOX CULVERTS		
	5.2(2.1) AT STA.....SIZE.....	M.	ระบุขนาดท่อด้วย
	5.2(2.2) AT STA.....SIZE.....	M.	ระบุขนาดท่อด้วย
	5.2(3) R.C.BOX CULVERTS SIDE DRAINS		
	5.2(3.1) SIZE.....	M.	
	5.2(3.2) SIZE.....	M.	
	5.3 R.C.PIPE CULVERTS		ระบุชั้นของท่อด้วย
	5.3(1) DIA. 0.30 M. CLASS.....	M.	
	5.3(2) DIA. 0.40 M. CLASS.....	M.	
	5.3(3) DIA. 0.60 M. CLASS.....	M.	
	5.3(4) DIA. 0.80 M. CLASS.....	M.	
	5.3(5) DIA. 1.00 M. CLASS.....	M.	
	5.3(6) DIA. 1.20 M. CLASS.....	M.	
	5.3(7) DIA. 1.50 M. CLASS.....	M.	
6	MISCELLANEOUS		
	6.1 SLOPE PROTECTION		
	6.1(1) CONCRETE SLOPE PROTECTION	SQ.M.	
	6.1(2) SHOTCRETE SLOPE PROTECTION	SQ.M.	
	6.1(3) SACKED CONCRETE SLOPE PROTECTION	SQ.M.	
	6.1(4) RIPRAP SLOPE PROTECTION		
	6.1(4.1) PLAIN RIPRAP	SQ.M.	
	6.1(4.2) MORTAR RIPRAP	SQ.M.	

ITEM	DESCRIPTION	UNIT	REMARK
	6.1(5) GABIONS	CU.M.	
	6.1(6) RENO MATTRESS SLOPE PROTECTIONCM. THICK	SQ.M.	ระบุความหนาด้วย
	6.1(7) FERRO-CEMENT BACK SLOPE PROTECTION	SQ.M.	
	6.1(8) CONCRETE SQUARE GRID SLOPE PROTECTION	SQ.M.	
	6.1(9) CONCRETE GRID BEAM BACK SLOPE PROTECTION	SQ.M.	
	6.1(10) GRASSING IN SQUARE GRID AND GRID BEAM	SQ.M.	
	6.1(11) VETIVER GRASSING FOR SLOPE PROTECTION	SQ.M.	
	6.1(12) HYDROSEEDING FOR SLOPE PROTECTION	SQ.M.	
	6.1(13) ASPHALT CURB FOR EMBANKMENT PROTECTION	M.	
	6.1(14) R.C.DRAIN CHUTE FOR EMBANKMENT PROTECTION	M.	DWG. NO.....
	6.1(15) PLAIN CONCRETE AT TOE OF R.C.DRAIN CHUTE FOR EMBANKMENT PROTECTION	SQ.M.	DWG. NO.....
	6.1(16) R.C.DRAIN OUTLET FOR R.C.PIPE CULVERT	SQ.M.	DWG. NO.....
	6.1(17) PLAIN CONCRETE AT TOE OF R.C.DRAIN OUTLET	SQ.M.	DWG. NO.....
	6.1(18) MORTAR RIPRAP CATCH BASIN AT INLET FOR R.C.PIPE CULVERT	SQ.M.	DWG. NO.....
	6.1(19) PLAIN CONCRETE CATCH BASIN AT INLET FOR R.C.PIPE CULVERT	SQ.M.	DWG. NO.....

ITEM	DESCRIPTION	UNIT	REMARK
	6.2 SUBSURFACE DRAINS		
	6.2(1) PERFORATED PIPE WITH GEOTEXTILES	M.	
	6.2(2) ROCK FILL WITH COARSE SAND	CU.M.	
	6.3 MISCELLANEOUS STRUCTURES		
	6.3(1) R.C.MANHOLE		ระบุชนิดของฝา (STEEL OR
	6.3(1.1) TYPE A FOR R.C.P.DIA.....M.	EACH	CONCRETE COVER)
	WITH.....COVER		และระบุด้วยว่าใช้สำหรับ
			ท่อ R.C.P. ขนาดใด
	6.3(1.2) TYPE B FOR R.C.P.DIA.....M.	EACH	
	WITH.....COVER		
	6.3(1.3) TYPE C FOR R.C.P.DIA.....M.	EACH	
	WITH.....COVER		
	6.3(1.4) TYPE D FOR R.C.P.DIA.....M.	EACH	
	WITH.....COVER		
	6.3(1.5) TYPE E FOR R.C.P.DIA.....M.	EACH	
	WITH.....COVER		
	6.3(1.6) TYPE F FOR R.C.P.DIA.....M.	EACH	
	WITH.....COVER		
	6.3(1.7) MODIFICATION OF EXISTING MANHOLES	EACH	
	WITH.....COVER		
	6.3(2) CATCH BASINS	EACH	
	6.3(3) MEDIAN DROP INLETS		
	6.3(3.1) TYPE I	EACH	
	6.3(3.2) TYPE II	EACH	
	6.3(4) R.C.RECTANGULAR PIPE FROM CURB INLET	M.	

ITEM	DESCRIPTION	UNIT	REMARK
	6.3(5) HEADWALL FOR R.C.PIPE CULVERT (END WALL)		
	6.3(5.1) PLAIN CONCRETE	CU.M.	
	6.3(5.2) REINFORCED CONCRETE	CU.M.	
	6.3(6) R.C.HEADWALL FOR R.C.PIPE CULVERT (WING WALL)		ระบุขนาดท่อ จำนวนแถว และหน่วยวัดเป็น EACH
	6.3(6.1) FOR R.C.P DIA.....M.....ROW	EACH	ONE SIDE
	6.3(7) CONCRETE INTERCEPTOR ON CUT BERM	M.	
	6.3(8) R.C.DITCH		
	6.3(8.1) TYPE A	M.	
	6.3(8.2) TYPE B	M.	
	6.3(9) R.C.GUTTER	M.	
	6.3(10) DROP INLET FOR BRIDGE DRAINAGE	EACH	
	6.3(11) R.C.U-DITCH FOR BRIDGE DRAINAGE	M.	
	6.3(12) SIDE DITCH LINING		
	6.3(12.1) TYPE I	SQ.M.	
	6.3(12.2) TYPE II	SQ.M.	
	6.3(12.3) TYPE III	SQ.M.	
	6.3(13) CONCRETE DITCH AT HILLSIDE		
	6.3(13.1) TYPE A	M.	
	6.3(13.2) TYPE B	M.	
	6.3(14) RETAINING WALL		
	6.3(14.1) RETAINING WALL TYPE I (MASONRY BRICK WALL)	M.	DWG.NO.RS-701
	6.3(14.2) RETAINING WALL TYPE II	M.	DWG.NO.RS-701
	6.3(14.3) RETAINING WALL TYPE III	M.	DWG.NO.RS-701
	6.3(14.4) RETAINING WALL - II		DWG.NO.RS-702
	6.3(14.4.1)M. <H<.....M.	M.	ระบุความสูงด้วย

ITEM	DESCRIPTION	UNIT	REMARK
	6.3(14.5) CANTILEVER RETAINING WALL		DWG.NO.ABT 267-17/8-9
	6.3(14.5.1)M. <H<.....M.	M.	ระบุความสูงด้วย
	6.4 CONCRETE CURB AND GUTTER		
	6.4(1) BARRIER CURB AND GUTTER	M.	
	6.4(2) BARRIER CURB	M.	
	6.4(3) MOUNTABLE CURB AND GUTTER	M.	
	6.4(4) MOUNTABLE CURB	M.	
	6.4(5) CONCRETE BARRIERS		
	6.4(5.1) TYPE I	M.	
	6.4(5.2) TYPE I (FOR DEEP CUT AND HIGH FILL)	M.	
	6.4(5.3) TYPE II	M.	
	6.4(5.4) AT BRIDGE APPROACH	M.	
	6.4(6) APPROACH CONCRETE BARRIERS		
	6.4(6.1) TYPE A	EACH	
	6.4(6.2) TYPE B	EACH	
	6.4(6.3) TYPE C	EACH	
	6.4(6.4) TYPE D	EACH	
	6.4(6.5) TYPE E	EACH	
	6.5 PAVING BLOCK		
	6.5(1) CONCRETE SLAB BLOCK SIZE 40x40x4 CM.	SQ.M.	INCLUDE SAND CUSHION
	6.5(2) CONCRETE PAVING BLOCK	SQ.M.	INCLUDE SAND CUSHION
	SHAPE.....CM. THICK.....COLOUR		ระบุชนิด, ความหนาและสีด้วย
	6.6 SODDING		
	6.6(1) BLOCK SODDING	SQ.M.	
	6.6(2) STRIP SODDING	SQ.M.	

ITEM	DESCRIPTION	UNIT	REMARK
	6.7 TOPSOIL AND CLAY		
	6.7(1) TOPSOIL	CU.M.	
	6.7(2) CLAY	CU.M.	
	6.8 GUARDRAIL		
	6.8(1) W-BEAM GUARDRAIL THICKNESS.....MM.	M.	
	6.8(2) CABLE GUARDRAIL	M.	
	6.9 FENCING AND GATE		
	6.9(1) FENCING	M.	
	6.9(2) GATE	EACH	
	6.10 MARKER AND GUIDE POST		
	6.10(1) GUIDE POST	EACH	
	6.10(2) KILOMETER STONE	EACH	
	6.10(3) R.O.W.MONUMENT	EACH	
	6.10(4) REFLECTING TARGET		
	6.10(4.1) TYPE I FOR CURB	EACH	
	6.10(4.2) TYPE II FOR GUARDRAIL	EACH	
	6.10(4.3) TYPE III FOR BARRIER	EACH	
	6.11 TRAFFIC SIGNS		
	6.11(1) SIGN PLATE	SQ.M.	
	6.11(2) SIGN POST		
	6.11(2.1) R.C.SIGN POST SIZE 0.12x0.12 M.	M.	
	6.11(2.2) R.C.SIGN POST SIZE 0.15x0.15 M.	M.	
	6.11(2.3) STEEL PIPE DIA. 90 MM.	EACH	DWG.NO.RS. - 114

ITEM	DESCRIPTION	UNIT	REMARK
	6.11(3) OVERHEAD SIGN BOARDS		
	6.11(3.1) MOUNTING ON STEEL TRUSS AND STEEL POLE	SQ.M.	
	6.11(3.2) MOUNTING AT BRIDGE DECK	SQ.M.	
	6.11(4) STEEL POLE FOR OVERHANGING TRAFFIC SIGN		
	6.11(4.1) FOR SIGN PLATE<52,800 SQ.CM.	EACH	
	6.11(4.2) FOR SIGN PLATE<108,000 SQ.CM.	EACH	
	6.11(4.3) FOR SIGN PLATE<2x52,800 SQ.CM.	EACH	
	6.11(5) STEEL FRAME FOR MOUNTING OVERHEAD SIGN TYPE I		DWG.NO.....
	6.11(5.1) STEEL TRUSS FOR OVERHEAD SIGN SPAN.....M.	M.	
	6.11(5.2) FOUNDATION AND STEEL POLE FOR OVERHEAD SIGN	EACH	1 EACH = 1 LEG
	6.11(6) STEEL FRAME FOR MOUNTING OVERHEAD SIGN TYPE II		DWG.NO.....
	6.11(6.1) STEEL TRUSS FOR OVERHEAD SIGN SPAN.....M.	M.	
	6.11(6.2) FOUNDATION AND STEEL POLE FOR OVERHEAD SIGN	EACH	1 EACH = 1 LEG
	6.12 ROADWAY LIGHTINGS		ทุกขนาดความสูงหน่วยวัด เป็น EACH
	6.12(1) 9.00 M. (MOUNTING HEIGHT) TAPERED STEEL POLE SINGLE BRACKET WITH HIGH PRESSURE SODIUM LAMP 250 WATTS, CUT - OFF	EACH	

- 33 -

ITEM	DESCRIPTION	UNIT	REMARK
6.12(2)	9.00 M. (MOUNTING HEIGHT) TAPERED STEEL POLE DOUBLE BRACKETS WITH HIGH PRESSURE SODIUM LAMPS 250 WATTS, CUT - OFF	EACH	
6.12(3)	12.00 M. (MOUNTING HEIGHT) TAPERED STEEL POLE SINGLE BRACKET WITH HIGH PRESSURE SODIUM LAMP 400 WATTS, CUT - OFF	EACH	
6.12(4)	12.00 M. (MOUNTING HEIGHT) TAPERED STEEL POLE DOUBLE BRACKETS WITH TWO HIGH PRESSURE SODIUM LAMPS 400 WATTS, CUT - OFF	EACH	
6.12(5)	HIGH MAST WITH HIGH PRESSURE SODIUM LAMP 400 WATTS		
6.12(5.1)	20.00 M. HIGH	EACH	ระบุจำนวนดวงโคมด้วย
6.12(5.2)	25.00 M. HIGH	EACH	ระบุจำนวนดวงโคมด้วย
6.12(5.3)	30.00 M. HIGH	EACH	ระบุจำนวนดวงโคมด้วย
6.12(6)	2-40 WATTS FLUORESCENT LAMPS, CEILING MOUNTED TYPE	EACH	
6.12(7)	1-150 WATTS HIGH PRESSURE SODIUM LAMP, SOFFIT LANTERN	EACH	
6.12(8)	OVERHEAD SIGN LIGHTING	EACH	
6.12(9)	250 WATTS HIGH PRESSURE SODIUM LAMP CUT-OFF ON EXISTING ELECTRIC POLE	EACH	

ITEM	DESCRIPTION	UNIT	REMARK
	6.12(10) RELOCATION OF EXISTING ROADWAY LIGHTINGS		ระบุชนิดและขนาดความสูง หน่วยวัดเป็น EACH
	6.12(10.1) SINGLE BRACKET	EACH	
	6.12(10.2) DOUBLE BRACKETS	EACH	
	6.12(10.3) HIGH MAST	EACH	
	6.13 TRAFFIC SIGNALS		
	6.13(1) TRAFFIC SIGNALS		ระบุด้วยว่าเป็น FIXED TIME SIGNALS หรือ VEHICLE ACTUATED SIGNALS
	6.13(1.1) AT STA.....(.....PHASE)	L.S.	ระบุ PHASING ด้วย
	6.13(1.2) AT STA.....(.....PHASE)	L.S.	ระบุ PHASING ด้วย
	6.13(2) IMPROVEMENT OF EXISTING TRAFFIC SIGNALS		ระบุด้วยว่าเป็น FIXED TIME SIGNALS หรือ VEHICLE ACTUATED SIGNALS
	6.13(2.1) AT STA.....(.....PHASE)	L.S.	ระบุ PHASING ด้วย
	6.13(2.2) AT STA.....(.....PHASE)	L.S.	ระบุ PHASING ด้วย
	6.14 FLASHING SIGNALS		
	6.14(1) FLASHING SIGNALS		
	6.14(1.1) AT STA.....	L.S.	
	6.14(1.2) AT STA.....	L.S.	
	6.14(2) IMPROVEMENT OF EXISTING FLASHING SIGNALS		
	6.14(2.1) AT STA.....	L.S.	
	6.14(2.2) AT STA.....	L.S.	

ITEM	DESCRIPTION	UNIT	REMARK
	6.15 MARKINGS		
	6.15(1) COLD PAINT		
	6.15(1.1) YELLOW	SQ.M.	
	6.15(1.2) WHITE	SQ.M.	
	6.15(2) HOT PAINT		
	6.15(2.1) YELLOW	SQ.M.	
	6.15(2.2) WHITE	SQ.M.	
	6.15(3) THERMOPLASTIC PAINT		
	6.15(3.1) YELLOW	SQ.M.	
	6.15(3.2) WHITE	SQ.M.	
	6.15(4) ROAD STUD		
	6.15(4.1) UNI-DIRECTION	EACH	
	6.15(4.2) BI-DIRECTION	EACH	
	6.15(5) CHATTER BAR		
	6.15(5.1) UNI-DIRECTION	EACH	
	6.15(5.2) BI-DIRECTION	EACH	
	6.15(6) RAISED BAR	M.	
	6.15(7) CURB MARKINGS	SQ.M.	
	6.16 PERMANENT TIMBER BARRICADE	M.	
	6.17 BUS STOP SHELTER		
	6.17(1) TYPE A	EACH	
	6.17(2) TYPE B	EACH	
	6.17(3) TYPE C	EACH	
	6.17(4) TYPE D	EACH	
	6.17(5) TYPE E	EACH	
	6.17(6) TYPE F	EACH	

ITEM	DESCRIPTION	UNIT	REMARK
	6.17(7) RELOCATION OF EXISTING BUS STOP SHELTER TYPE.....	EACH	ระบุ TYPE ด้วย
	6.18 LANDSCAPING WORK		
	6.18(1) TREE PLANTING		ระบุขนาดแทนชื่อต้นไม้
	6.18(1.1) SMALL SIZE (DIA.....M. HEIGHT.....M. MIN.)	EACH	
	6.18(1.2) MEDIUM SIZE (DIA.....M. HEIGHT.....M. MIN.)	EACH	
	6.18(1.3) LARGE SIZE (DIA.....M. HEIGHT.....M. MIN.)	EACH	
	6.18(2) SHRUB PLANTING	SQ.M.	ระบุระยะห่างระหว่างต้นด้วย
	6.18(3) GROUND COVER PLANTING	SQ.M.	
	6.18(4) GRASSING		
	6.18(4.1) NUANNOI	SQ.M.	
	6.18(5) EARTH FILL FOR LANDSCAPING WORK	CU.M.	
	6.19 BRIDGE DRAINAGE		
	6.19(1) GULLY	EACH	
	6.19(2) GRATING	EACH	
	6.19(3) PIPE	M.	
	6.19(4) CATCH BASIN	EACH	